

RM-30BP

Remote Commander



Overview

The RM-30BP is the successor to the RM-1000BP, the industry's first comprehensive, multifunctional remote commander.

Ideal for freelancers and small-budget productions, the lightweight remote can be handheld, placed on a table or attached to a tripod arm for operation. The RM-30BP can control most camera functions including:

- Lens control: one push auto / manual focus, iris and zoom control
- Camera control: recording / display functions, shutter speed, white balance - including six assignable buttons
- Playback and multi camera control (up to 3 cameras)

The RM-30BP can also be connected to the new MCX-500 for multi camera control directly from the switcher, and is compatible with the HXR-NX5R and PXW-FS7 v4.0, with plans to introduce compatibility for other Sony camcorders.

Technical Specifications

Notes	
	Specifications are tentative and subject to change.

Specifications	
Dimensions (Approx.)	82.5 x 34 x 174.5mm (W x H x D) Except for the maximum protrusion
Weight (Approx.)	290g (Body only)
Operating temperature	0°C ~ +40°C
Storage temperature	-20°C ~ +60°C
Power consumption	0.2W below
Power-supply voltage	4.2 ~ 6.0 v ; supplied from Camcorders
Input/Output	CAMERA x3 / 2.5mm TRS Plug REMOTE x1 / 2.5mm TRS Jack OPTION x1 / 3.5mm TRS Jack

Compatible Products

NXCAM and AVCHD



HXR-NX5R

Three 1/2.8-inch Exmor CMOS sensors Full HD AVCHD / XAVC S camcorder with 40x zoom with Clear Image Zoom and built-in wireless functionality.

Portable Live Production (AnyCast)



MCX-500

Multi-Camera Live Producer