

CA-TX70

Digital triax adapter for HXC-D70 and PMW-320/350/400/500 camcorders



Overview

Enables connection via digital triax to HXCU-TX70 Camera Control Unit

The CA-TX70 digital triax adaptor for the HXC-D70 studio camera and PMW-320/350/400/500 camcorders, allows connection to the HXCU-TX70 digital triax Camera Control Unit (CCU). With the CCU, it is possible to control the HXC-D70 and PMW-320/350/400/500* up to a maximum distance 1200 mt. with 14.5mm cable and 600 mt with 8.5mm cable, including the power and signals of Tally, Intercom, Video Return and also Prompter.

* CBK-HD02 is required when the CA-FB70 or CA-TX70 is configured with PMW-500.

* CBK-CE01 is required when the CA-FB70 or CA-TX70 is configured with PMW-400/350/320.

Operates with HXCU-TX70

The CA-TX70 works seamlessly with the HXCU-TX70 digital triax Camera Control Unit (CCU). The HKCU-FP2 optional front control panel can be attached onto the HXCU-TX70.

Features

Digital triax connection

The CA-TX70 helps ensure the best picture quality and easy integration of the HXC-D70 and PMW-320/350/400/500 using conventional triax infrastructure up to a maximum distance 1200 mt. with 14.5mm cable and 600 mt with 8.5mm cable.

Connection for all signals

The CA-TX70 provides flexible integration and the possibility to extend the operation with all signals (Tally, Intercom, Video Return and Prompter) in full HD.

Related products



PMW-350L

Three 2/3-inch type Exmor CMOS sensors without lens XDCAM EX camcorder recording HD (plus SD option)



PMW-350K

Three 2/3-inch type Exmor CMOS sensors with 16x zoom HD lens XDCAM EX camcorder recording full HD (plus SD option)



HXC-FB80

Three 2/3-inch Exmor™ CMOS sensor HD colour studio camera



PMW-320L

Three 1/2-inch type Exmor CMOS sensors XDCAM EX camcorder without lens recording full HD / SD



HXCU-FB70

Fibre CCU for CA-FB70 adapter
for HXC-P70, HXC-D70 and
PMW-320/350/400/500
cam corders

Gallery

